

RECEIVED
CENTRAL FAX CENTER

001



COHEN PONTANI LIEBERMAN & PAVANE

551 Fifth Avenue, New York, NY 10176 phone 212.687.2770 fax 212.972.5487 www.cplplaw.com

To:	Examiner: Ridley, Basia Anna	From:	Alfred W. Froebich
Fax:	703-872-9306	Pages:	16 (total number of pages)
Re:	09/842,224	Date:	Friday, July 08, 2005

 Confirmation will follow No confirmation to follow

In re Application of

Dietmar ADLER et al.

Serial No.: 09/842,224

Filed: April 25, 2001

For: Reactor and Method for Fly Stream Gasification

Attached please find a Supplemental Appeal Brief for the above-referenced application.

Confidentiality Statement

This transmission may contain information which is legally privileged or otherwise protected from disclosure. Its contents are confidential and intended for the addressee only, and must not be used, copied or disseminated by any person other than the addressee. The recipient is requested to notify the sender immediately of any error in transmission and to destroy any transmission not intended for the recipient.

If all pages are not received
 or you otherwise experience transmission difficulties
 Please call us at (212) 687-2770

RECEIVED
OIP/EAP

JUL 11 2005

RECEIVED
CENTRAL FAX CENTER
JUL 08 2005

Attorney Docket # 4797-21

Patent

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


In re Application of
Dietmar ADLER et al.
Serial No.: 09/842,224
Filed: April 25, 2001
For: Reactor and Method for Fly Stream Gasification

Examiner: Ridley, Basia Anna
Group Art: 1764

I hereby certify that this correspondence is
being transmitted by facsimile transmission
to Fax No. 703-872-9306 at the United
States Patent and Trademark Office, on
July 8, 2005
(Date of Deposit)

Alfred W. Froehrich

Name of applicant, assignee or Registered
Representative



July 8, 2005
Date of Signature

Mail Stop Appeal Brief - Patents
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

SUPPLEMENTAL APPEAL BRIEF

SIR:

This Supplemental Appeal Brief is filed in response to the Notification of Non-Compliant Appeal Brief mailed on June 28, 2005.

This is an appeal, pursuant to 37 C.F.R. §41.37 from the decision of the Examiner in the above-identified application, as set forth in the Final Office Action wherein the Examiner finally rejected appellant's claims. The rejected claims are reproduced in the Claim Appendix attached hereto. A Notice of Appeal was filed on December 2, 2004.

The fee of \$500.00 for filing an Appeal Brief pursuant to 37 C.F.R. §41.20 was previously submitted. Any additional fees or charges in connection with this application may be charged to our Patent and Trademark Office Deposit Account No. 03-2412.

07/12/2005 BABRAHA1 00000020 032412 09842224

01 FC:1402 500.00 DA

REAL PARTY IN INTEREST

The assignee, Noell-KRC Energie- und Umwelttechnik GmbH, of applicants, Dietmar Adler, Jürgen Görz, Dietmar Degenkolb, and Manfred Schingnitz, is the real party of interest in the above-identified U.S. Patent Application.

RELATED APPEALS AND INTERFERENCES

There are no other appeals and/or interferences related to the above-identified application at the present time.

STATUS OF CLAIMS

Claims 13-16 have been canceled. Claims 4-6 are currently withdrawn as being drawn to a non-elected embodiment. Claims 1-3, 7-12, and 17-18 have been rejected. Claims 1-3, 7-12, and 17-18 are on appeal.

STATUS OF AMENDMENTS

An Amendment was filed on September 29, 2004 subsequent to the Final Office Action. The Examiner indicated in the Interview Summary mailed November 17, 2004 that the amendment was entered.

SUMMARY OF THE CLAIMED SUBJECT MATTER

Independent claim 1 recites "a pressure shell, said pressure shell having an encircling body wall". The pressure shell 4 which encircles the reactor is disclosed on page 9,

lines 8-10 of the specification. The limitation "a plurality of cooling ducts extending around an outer surface of said body wall, said ducts being fixedly connected to said outer surface, interior spaces of said cooling ducts communicating with said outer surface" is disclosed at page 9, lines 12-14 and 20-22 which states that water conducting ducts 5 arranged outside of the pressure shell 4 operate independent of the pressure and temperature in the reaction space and that the ducts 5 are made of webs 10 welded to the casing 4 and segments 11 which connect two webs and close off the duct 5. The limitations of a fluid supply conduit and a fluid discharge conduit are disclosed at page 9, lines 19-20. Finally, the limitation "a lining of a refractory encircling an inner surface of said encircling body wall" is disclosed at page 9, lines 10-12, which states that the refractory lining layers 6, 7 are arranged on the inner side of the pressure shell 4 for thermal protection of the pressure shell 4.

GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

1. Whether claims 1-3, 7-10, and 17-18 are patentable under 35 U.S.C. §103 over DE 35 23 60 (Gudymov) in view of U.S. Patent No. 2,231,295 (Price)?
2. Whether claim 11 is patentable under 35 U.S.C. §103 over Gudymov and Price in further view of U.S. Patent No. 4,637,823 (Dach).
3. Whether claim 12 is patentable under 35 U.S.C. §103 over Gudymov, Price, and Dach in further view of U.S. Patent No. 4,340,397 (Schultz).

ARGUMENT1. Rejection of claims 1-3, 7-10, and 17-18

Independent claim 1 recites "a pressure shell, said pressure shell having an encircling body wall", "a plurality of cooling ducts extending around an outer surface of said body wall, said ducts being fixedly connected to said outer surface, interior spaces of said cooling ducts communicating with said outer surface", and "a lining of a refractory encircling an inner surface of said encircling body wall".

Gudymov is a German language reference which was first cited by the Examiner, without a translation thereof, in an Office Action dated October 24, 2003. The Examiner states that reference characters 1, 3, 5 indicate a pressure wall as recited in independent claim 1. It is noted that a translation of the title indicates that the cooled screen of Gudymov is an internal lining (Innenauskleidung) for the reaction spaces of furnace installations. Since the parts indicated by reference characters 1, 3, and 5 are part of an internal lining, these parts with reference characters 1, 3, and 5 can not be considered to be a pressure shell as alleged by the Examiner.

In the rejection of the claims, the Examiner has combined the teachings of Gudymov, which relates to a reactor furnace, with the teachings of Price, which relates to a power plant boiler system in which the power plant is an internal combustion engine (ICE). As correctly stated in the final Office Action dated June 30, 2004, "In order to rely on a reference as a basis for a rejection of the applicant's invention, the reference must either be in the field of applicant's endeavor or, if not, then be reasonably pertinent to the particular problem with which the inventor was concerned. *In re Oetiker*, 911 F.2d 1443, 1446, 24 USPQ2d, 1443, 1445 (Fed. Cir. 1992). It is respectfully submitted the Price fails both parts of the test. Accordingly, Price can not be relied upon as a basis for a rejection of the claimed invention.

Independent claim 1 is directed to a gasification reactor vessel. As stated above, Price is directed to a power plant boiler system and discloses that the power plant includes a cylinder 1 for an internal combustion engine (ICE) (see page 2, left column, lines 62-63). Attachment 2 to the amendment filed September 29, 2004 is an excerpt from Encyclopedia Britannica Online which states that the goal of combustion is to produce the maximum amount of heat possible by oxidizing all the combustible material and the goal of gasification is to convert most of the combustible solids into combustible gases such as carbon monoxide, hydrogen, and methane. Furthermore, the process between compression, combustion, and expansion/cooling is discontinuous in the cylinder of the ICE while the gasification process in gasifiers is continuous. Accordingly, the cooling requirements for ICEs and gasifiers is vastly different. Based on these diverging goals and characteristics of ICEs and gasifiers, Price fails the first part of the test for an analogous reference because the ICE disclosed by Price can not be considered to be in the same field of endeavor as a gasification reactor vessel, as claimed in independent claim 1.

Regarding the second part of the test for analogous art, the present invention is concerned with providing cooling to a gasification reactor vessel pressure shell while at the same time preventing condensate from forming on the inside of the pressure casing because the condensate causes corrosion (see page 4, lines 3-7; and page 5, lines 2-5 of the present specification). In contrast, the object of Price is to conserve heat that is normally wasted (see page 1, right column, lines 10-15). Furthermore, Price fails to teach or suggest that condensation in the cylinder 1 of the ICE is a problem. Moreover, the cooling requirements of an ICE are vastly different than those of a gasifier because the ICE process is discontinuous and the gasifier is a continuous combustion process as described above. Price can not be considered reasonably

pertinent to the problem with which the present invention is concerned; namely, the prevention of condensation of water in the reaction space of the reactor pressure vessel while simultaneously cooling the reactor pressure vessel of a gasification reactor.

Since Price fails both tests for analogous art, Price can not be considered as a basis for a rejection of the applicant's presently claimed invention. That is, Price is not applicable as prior art for the presently claimed invention.

Furthermore, since Gudymov discloses an internal lining and since Price is directed to an ICE, neither Gudymov nor Price teach or suggest cooling ducts on an outer surface of a pressure shell of a gasifier, as expressly recited in independent claim 1.

For the foregoing reasons, it is respectfully submitted that the combined teachings of fail to establish a *prima facie* case of obviousness with regard to the subject matter recited in independent claim 1.

Dependent claims 2-3, 7-10, and 17-18, being dependent on independent claim 1, are deemed allowable for at least the same reasons expressed above with respect to independent claim 1.

The Final Rejection of the claims 1-3, 7-10, and 17-18 should be reversed.

2.-3. Rejection of claims 11 and 12

Dependent claims 11 and 12, being dependent on independent claim 1, are deemed allowable for at least the same reasons expressed above with respect to independent claim 1.


The Final Rejection of the claims 11 and 12 should be reversed.

CONCLUSION

For the foregoing reasons, it is respectfully submitted that appellant's appellants' claims are not rendered obvious anticipated by and are, therefore, patentable over the art of record, and the Examiner's rejections should be reversed.

Respectfully submitted,
COHEN, PONTANI, LIEBERMAN & PAVANE

By _____


Alfred W. Froebrich
Reg. No. 38,887
551 Fifth Avenue, Suite 1210
New York, New York 10176
Tel (212) 687-2770

Dated: July 8, 2005

CLAIM APPENDIX

1. (original) A gasification reactor vessel, comprising:
 - a pressure shell, said pressure shell having an encircling body wall and shell ends at each of opposite ends of the body wall;
 - a plurality of cooling ducts extending around an outer surface of said body wall, said ducts being fixedly connected to said outer surface, interior spaces of said cooling ducts communicating with said outer surface;
 - a fluid supply conduit communicating with said cooling ducts;
 - a fluid discharge conduit communicating with said cooling ducts; and
 - a lining of a refractory encircling an inner surface of said encircling body wall.
2. (original) A gasification reactor vessel according to claim 1, wherein each cooling duct comprises a pair of spaced webs fixedly connected at common edges of each to said body wall outer surface, and an arcuate segment joining opposite edges of said webs.
3. (original) A gasification reactor vessel according to claim 2, wherein the webs of each duct are fixedly connected to said body wall outer surface with welded connections.
4. (withdrawn - previously presented) A gasification reactor vessel according to claim 2, wherein said ducts extend longitudinally along said body wall, said fluid supply and fluid discharge conduits are annular and located, respectively, at one of two opposite ends of said shell body.
5. (withdrawn - previously presented) A gasification reactor vessel according to claim 4, wherein a circumferential space separates adjacent ones of said ducts on said body wall outer surface.

6. (withdrawn) A gasification reactor vessel according to claim 4, wherein said ducts are arrayed circularly around said body wall outer surface with each duct in abutment with ducts adjacent thereto.

7. (original) A gasification reactor vessel according to claim 2, wherein said ducts extend circularly around said body wall outer surface, said fluid supply and fluid discharge conduits being annular and disposed, respectively, at one of two opposite ends of said shell body.

8. (original) A gasification reactor vessel according to claim 7, wherein said ducts are arranged obliquely of a central axis of said body wall.

9. (original) A gasification reactor vessel according to claim 8, wherein said ducts extend in a spiral course around said body wall outer surface.

10. (original) A gasification reactor vessel according to claim 7, wherein each duct encircles said body outer wall surface spaced from ducts adjacent thereto.

11. (original) A gasification reactor vessel according to claim 1, wherein said refractory lining comprises at least two separate concentric layers of refractory material.

12. (original) A gasification reactor vessel according to claim 11, wherein the refractory material is at least one of a ceramic and polytetrafluoroethylene.

13.-16. (canceled)

17. (previously presented) A gasification reactor vessel according to claim 2, wherein said ducts extend in a direction having at least a longitudinal component along said body wall, said fluid supply and fluid discharge conduits are annular and located, respectively, at one of two opposite ends of said shell body.

18. (previously presented) A gasification reactor vessel according to claim 4, wherein a circumferential space separates adjacent ones of said ducts on said body wall outer surface.

Evidence Appendix

1. Attachment 2 to the Amendment filed September 29, 2004, excerpt from Encyclopedia Britannica Online.

Already a member? [Log In](#).[Home :: Browse :: Store](#)Search:

This Article's
Table of Contents

[Expand all](#)

- [Introduction](#)
- Properties affecting coal utilization
 - [Coal rank](#)
 - [Coal type](#)
 - [Physical properties](#)
 - [Thermoplastic properties](#)
- [Carbonization \(coke making\)](#)
 - [High-temperature carbonization reactions](#)
 - [Carbonization processes](#)
- [Coal combustion](#)
 - [Combustion reactions](#)
 - [Combustion systems](#)
- • [Gasification](#)
 - [Gasification reactions](#)
 - [Gasification systems](#)
 - [Gas-cleanup systems](#)
- [Liquefaction](#)
 - [Liquefaction reactions](#)
 - [Liquefaction processes](#)
- [Additional Reading](#)

[Print this Table of Contents](#)[Shopping](#)[The Britannica Home Library Suite](#)

Price: USD \$2150
Installment plans available!

coal utilization

Encyclopædia Britannica Article

Page 28 of 41

[FORMAT FOR PRINTING](#) • [E-MAIL THIS ARTICLE](#) • [CITE THIS ARTICLE](#)

More results on "coal" when you join.

Free For M
3891 ite

Gasification

While the goal of combustion is to produce the maximum amount of heat possible by oxidizing all the combustible material, the goal of gasification is to convert most of the combustible solids into combustible gases such as carbon monoxide, hydrogen, and methane.

coal utilization... (75 of 6368 words)

[Get the full article with a FREE Trial](#)

To cite this page:

MLA style:
"coal utilization." Encyclopædia Britannica. 2004. Encyclopædia Britannica Premium Service.
29 Sept. 2004 <<http://www.britannica.com/eb/article?tocId=81730>>.

APA style:
coal utilization Encyclopædia Britannica. Retrieved September 29, 2004, from Encyclopædia Britannica Premium Service.
<<http://www.britannica.com/eb/article?tocId=81730>>

Britannica style:
"coal utilization" Encyclopædia Britannica from Encyclopædia Britannica Premium Service.
<<http://www.britannica.com/eb/article?tocId=81730>>
[Accessed September 29, 2004].

[Back to top](#)



Compton's Encyclopedia for Students 2004 Edition
Price: USD \$699

The Perfect Learning
Resource for Every
Family



**Merriam-Webster's
Collegiate® Dictionary &
Thesaurus Audio CD-ROM**
Price: USD \$16.95
America's Best Selling
Dictionary on CD-ROM!

[Visit Britannica Store](#)

More from Britannica on "coal utilization"...

2895 Encyclopædia Britannica articles, from the full 32 volume encyclopedia

> [coal utilization](#)
combustion of coal or its conversion into useful solid, gaseous, and liquid products. By far the most important use of coal is in combustion, mainly to provide heat to the boilers of electric power ...

> [Properties affecting coal utilization](#)
from the coal utilization article

> [Mineral \(ash\) content](#)
from the coal utilization article

Coal contains a variety of minerals in varying proportions that, when the coal is burned, are transformed into ash. The amount and nature of the minerals affect the behaviour of the coal at high temperatures ...

> [Hazards of utilization](#)
from the coal article

Coal utilization also can cause problems. During the incomplete burning or conversion of coal, many compounds are produced, some of which are carcinogenic. The burning of coal also produces sulfur ...

> [technology](#)

the application of scientific knowledge to the practical aims of human life or, as it is sometimes phrased, to the change and manipulation of the environment.

[More results >](#)

702 Student Encyclopedia Britannica articles, specially written for elementary and high school students

> [electric power](#)

Most of mankind's energy needs, except transportation, are met by electric power. It is a willing servant in home, office, factory, school, and the workplace. Electric energy is available almost ...

> [Natural Resources](#)

from the Iowa article

Iowa's most valuable natural resources are its soil and climate, which make farming and livestock raising so profitable. With most of its area in cropland and pastureland, it ranks among the first ...

> [coal](#)

One of the most important natural fuels, coal was formed from plant life buried in the Earth millions of years ago. Like petroleum and natural gas, it is a carbon-based fossil fuel. (See also Gas, ...)

> [The Economy](#)

from the Austria article

Because of its large region of mountains only about half of Austria's total area is suitable for farming or pasture. More than one third of its area is forested, and more than 15 percent ...

> [coal-tar product](#)

Coal tar, a black, sticky liquid thicker than water, is produced when coal is heated in the absence of air, a process called destructive distillation. Coal tar is produced by the steel industry ...

[More articles >](#)

103 web sites, chosen by Britannica editors for our Internet Guide

> [Strategic Center for Natural Gas](#)

U.S. Department of Energy

Division of the U.S. National Energy Technology Laboratory involved in directing research and policy development for production of this fuel. Provides details on its work on turbine systems and coal mine methane utilization. Features news, downloadable reports and fact sheets, and data on distribution and storage activities.

> [Coal](#)

Kentucky Geological Survey

Information on the geological formation, types, and economic uses of this primary fossil fuel with a focus on the coal deposits and mining in the state of Kentucky, U.S.

> [Coal: An Introduction](#)

Detailed description of coal formation and classification. Provides information on coal ranking, macerals, microlithotypes, and mineral matter. Includes several photographs, charts, and a list of references.

> [Atlas of Coal Macerals](#)

Collection of microscopic images of various types of coal macerals. Covers inertinite and liptinite groups.

> [Coal Operations Australia](#)

New South Wales-based coal supplier. Features an overview of the organizational structure and operations.

[More results >](#)

5 video and media

> [Australia: Origins of Coal \(2:29\)](#)

Learn how creationists use coal as evidence of a catastrophic flood.

> [Labor Unions: Teddy Roosevelt and the Coalminer's Strike \(2:04\)](#)

Teddy Roosevelt's intervention in a 1902 coalminer's strike had a lasting impact on the American labor movement.

> [Central Europe: Industry and the Environment \(1:57\)](#)

Mining and industrial development have led to environmental damage in parts of Central Europe.

> [The Southeast: Industry \(4:01\)](#)

Textile mills are just one of the south's important industries.

> [Northeast USA: Industry \(2:39\)](#)

See which industries are most important in the northeastern U.S.

100 magazine articles, from a collection of more than 300,000 articles provided by EBSCO

[See results >](#)

[About Us](#) :: [Privacy Policy](#) :: [Terms of Use](#) :: [Contact Us](#) :: [Syndication](#) :: International Publishing
Other Britannica sites ([Australia](#) :: [India](#) :: [Korea](#) :: [United Kingdom](#) :: [More](#))

© 2004 Encyclopædia Britannica, Inc.

Related Proceedings Appendix

None